



Farranula concinna

(Dana, 1853)



Phylum Arthropoda
Order Cyclopoid
Family Corycaeidae



Synonyms

Corycella concinna (Dana, 1853)

Size:

Female: 0.79 – 1.04 mm

Genus notes

- 2 plumose or spiny setae at base of A2
- Prosome 2 segmented
- Cuticular lenses present
- Female has beak like keel on ventral surface
- P4 with no trace of endopod, 1 naked seta at the base
- Urosome 1 segmented

Female

- Prosome 2x as long as urosome
- Prosome points < half genital somite
- Urosome 3x longer than caudal rami
- In lateral view, female genital somite with anterior thickened part longer than narrow posterior section
- In lateral view, dorsal and ventral margins of the genital somite appear almost parallel in part before tapering, similar to *F. gibbula* which has an irregularly humpbacked genital somite
- Setae on antero ventral part of genital somite
- Caudal rami 3x longer than wide

Distribution

Ecology

Farranula concinna

(Dana, 1853)

Phylum Arthropoda
Order Cyclopoid
Family Corycaeidae

Size:
Male: 0.73 – 0.90 mm

Male:
• Similar to *F. gibbula* but smaller in size

Source
Boltovskoy (1999)
Conway (2003)
Farran (1911)
Tanaka (1957)

(Full reference available at
<http://www.imas.utas.edu.au/zooplankton/references>)

